



Compound Miter Saw

Table/Blade Angle Chart

1-800-685-9981

Moulding Angle (Degree)		Corner Angle (Degree)			
		90	108	120	135
38	Table Angle	51.8	60.2	65.5	71.9
	Blade Angle	25.8	21.2	17.9	13.6
40	Table Angle	52.5	43.5	37.0	28.4
	Blade Angle	27.0	31.3	33.8	36.4
42	Table Angle	53.4	44.4	37.8	29.1
	Blade Angle	28.2	32.8	35.4	38.2
45	Table Angle	54.7	45.8	39.2	30.4
	Blade Angle	30.0	34.9	37.8	40.8
47	Table Angle	55.7	46.8	40.3	31.3
	Blade Angle	31.1	36.3	39.3	42.5
49	Table Angle	56.7	47.9	41.4	32.3
	Blade Angle	32.3	37.6	40.8	44.2
51	Table Angle	57.8	49.1	42.5	33.4
	Blade Angle	33.3	39.0	42.3	45.9
53	Table Angle	59.0	50.4	43.8	34.5
	Blade Angle	34.4	40.2	43.8	47.5

* Corner Angles are as follows: 90 for rectangle, 72 for Pentagon, 60 for Hexagon, 45 for Octagon

* Moulding Angle is the angle of the moulding as applied, measured from the horizontal plane.

Attention: The table and blade angles represented on this chart are meant as a guide and/or starting point only. Minor adjustments are required.

www.spectis.com

Copyright 2005 Spectis Moulders Inc. All rights Reserved.